
TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315 SHEET 1 of 13

FIG. 1

1a,1b



APPLN. FILING DATE: AUGUST 6, 2003


TITLE: DATA INPUT DEVICE, IMAGE PROCESSING
DEVICE, DATA INPUT METHOD AND COMPUTER
READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 2 of 13


FIG. 2



APPLN. FILING DATE: AUGUST 6, 2003

TITLE: DATA INPUT DEVICE, IMAGE PROCESSING
DEVICE, DATA INPUT METHOD AND COMPUTER
READABLE RECORDING MEDIUM ON WHICH DATA
INVENTOR(S): TSUTOMU YOSHIMI ET AL.
ATTORNEY'S DOCKET NO: 011350-315

SHEET 3 of 13



TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 4 of 13

1						
SCREEN MODE: COPY MODE	OPY MODE					
KEY IMAGE	KEY IMAGE	CONSTITUTIONAL	KEY IMAGE		STATUS	אדו ומוסידא
GROUP	CLASSIFICATION	KEY IMAGE	DATA	SIZE	POSITON (Xm, Ym) (Xn, Yn)	AllkiBole
START KEY	SIZE VARIABLE KEY	START	A	100%	(Xma1, Yma1) (Xna1, Yna1)	VARIABLE SIZE, VARIABLE POSITION
		COPY	ρ		(Xmo1, Ymo1) (Xno1, Yno1)	
MODE	ם שנוני ולבע	FAX	D ₂	200	(XmD2, YmD2) (XnD2, YnD2)	SIXED SIZE FIXED BOSITION
SWITCHING KEY	THE SIGNAL	SCAN	රි	8	(X _{mD3} , Y _{mD3}) (X _{mD3} , Y _{nD3})	יאבם סוברי ויאבם רסטוויסוג
,		CONTROL	D ₄		(XmD4, YmD4) (XnD4, YnD4)	
SIZE MODIFYING	ם אפוני מבה	1	Ն	100%	(Xmc1. Ymc1) (Xnc1. Ync1)	FIXED SIZE VARIABIE POSITION
ΚĒΛ		Ť	S	000	(X _{mC2} , Y _{mC2}) (X _{nC2} , Y _{nC2})	יישר סיבר, יישר סיבר יישר יישר יישר יישר יישר יישר יישר י
		1	В,		(X _{mB1} , Y _{mB1}) (X _{nB1} , Y _{nB1})	
		•				
TEN KEY	BASIC KEY	•	•	10%	•	FIXED SIZE, VARIABLE POSITION
		0	B ₁₀		(XmB10, YmB10) (XnB10, YnB10)	
			B1f		(XmB11, YmB11) (XnB11, YnB11)	
		1.41	Fı		(XmF1, YmF1) (XnF1, YnF1)	
		1.21	F2	·	(XmF2, YmF2) (XnF2, YnF2)	
MAGNIFICATION	APPLICATION KFY	1.00	F ₃	100%	(X _{mF3} , Y _{mF3}) (X _{nF3} , Y _{nF3})	REDUCIBLE SIZE, VARIABLE POSITION
<u>.</u>		08.0	F4		(XmF4, YmF4) (XnF4, YnF4)	
		12.0	F ₅		(XmF5, YmF5) (XnF5, YnF5)	
		£A.	Ę		(Xmet, Ymet) (Xnet, Ynet)	
		78	E ₂		(Xmez, Ymez) (Xnez, Ynez)	
APEK SIZE KFY	APPLICATION KFY	₩	E3	100%	(Xmea, Ymea) (Xnea, Ynea)	REDUCIBLE SIZE, VARIABLE POSITION
į	!	98	E4		(Xme4, Yme4) (Xne4, Yne4)	
		A5	Eş		(Xmes, Ymes) (Xnes, Ynes)	
MESSAGE DISPLAY AREA	l		ာ်	100%	(Xmg1, Ymg1) (Xng1, Yng1)	FIXED SIZE, FIXED POSITION


TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 5 of 13

FIG. 5




TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 6 of 13

FIG. 6



APPLN. FILING DATE: AUGUST 6, 2003 TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 7 of 13


APPLN. FILING DATE: AUGUST 6, 2003
TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER

READABLE RECORDING MEDIUM ON WHICH DATA . . . INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315 SHEET

SHEET 8 of 13

FIG. 8




TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 9 of 13



TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 10 of 13

CREEN MODE: COF KEY IMAGE GROUP START KEY	SCREEN MODE: COPY MODE KEY IMAGE GROUP CLASSIFICATION START KEY VARIABLE SIZE KEY	CONSTITUTIONAL KEY IMAGE START	KEY IMAGE DATA A ₁	SIZE 100%	STATUS POSITON (X _m , Y _m) (X _n , Y _n) (X _m At ₁ , Y _m At) (X _m At ₁ , Y _n At)	ATTRIBUTE VARIABLE SIZE, VARIABLE POSITION
86	BASIC KEY	COPY FAX SCAN CONTROL		100%	(XmD1, YmD1) (XmD1, YnD1) (XmD2, YmD2) (XmD2, YmD2) (XmD2, YnD2) (XmD3, YmD3) (XmD3, YmD3) (XmD3, YmD3) (XmD3, YmD3) (XmD4, YmD4) (XmD4, YmD4) (XmD4, YmD4)	FIXED SIZE, FIXED POSITION
86	BASICKEY	← →	ರ ೮	100%	(X _{mC1} , Y _{mC1}) (X _{nC1} , Y _{nC1}) (X _{mC2} , Y _{mC2}) (X _{nC2} , Y _{nC2})	FIXED SIZE, VARIABLE POSITION
86	BASICKEY	0 .	B ₁₀	100%	(X _{mB10} , Y _{mB1}) (X _{mB1} , Y _{nB1}) (X _{mB10} , Y _{mB10}) (X _{mB10} , Y _{nB10}) (X _{mB11} , Y _{mB11}) (X _{mB11} , Y _{nB10})	FIXED SIZE, VARIABLE POSITION
AP	APPLICATION KEY	141 121 1.00 0.80 0.71 1.41 – 0.71 SCROLL	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	100% NO DISPLAY	(XmF1, YmF1) (XnF1, YnF1) (XmF2, YmF2) (XnF2, YnF2) (XmF3, YmF3) (XnF3, YnF3) (XmF4, YmF4) (XnF4, YnF4) (XmF4, YmF4) (XnF4, YnF4) (XmF5, YmF5) (XnF5, YnF5)	FIXED SIZE,VARIABLE POSITION
. Al	APPLICATION KEY	A3 B4 A4 B5 A5 A2 – A5 SCROLL	<u>~</u> ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	100% NO DISPLAY	(\$\text{ME1}, \text{ME1}, \text{ME1}, \text{ME1}, \text{ME1}, \text{ME2}, \text{ME2}, \text{ME2}, \text{ME2}, \text{ME2}, \text{ME2}, \text{ME2}, \text{ME2}, \text{ME2}, \text{ME3}, \text{ME3}, \text{ME3}, \text{ME3}, \text{ME3}, \text{ME4}, \text{ME4}, \text{ME4}, \text{ME5}, \tex	FIXED SIZE,VARIABLE POSITION
	1	1	ပ်	100%	(Kmg1, Ymg1) (Kng1, Yng1)	FIXED SIZE, FIXED POSITION


=1G. 10 2

TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315 SHEET 11 of 13

FIG. 11



TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL. ATTORNEY'S DOCKET NO: 011350-315

r		INVENTOR(S): TSUTOMU YOSHIMI ET AL. ATTORNEY'S DOCKET NO: 011350-315 SHEET 12 of 13											.3														
		TE IGIOTAL	ALINIBOLE	VARIABLE SIZE, VARIABLE POSITION	i	MOLTISON OF THE STATE	TIMED SIZE, TIMED POSITION		MOTES OF STREET	FIXED SIZE, VANIABLE POSITION		FIXED SIZE, VARIABLE POSITION					NOTE SOUTH A PROSPER OF THE SOUTH OF THE SOU	TAED SIZE, VANIABLE LOSITION				FIXED SIZE, FIXED POSITION					
		STATUS	POSITON (Xm, Ym) (Xm, Yn)	(Xma1, Yma1) (Xna1, Yna1)	(XmD1, YmD1) (XnD1, YnD1)	(Xmoz. Ymoz) (Xnoz. Ynoz)	(Xmps, Ymps) (Xnps, Ynps)	(Xmp4, Ymp4) (Xnp4, Ynp4)	(Xmc1, Ymc1) (Xnc1, Ync1)	(X _{mcz} , Y _{mcz}) (X _{ncz} , Y _{ncz})	(X _{mB1} , Y _{mB1}) (X _{nB1} , Y _{nB1})		(Xm810, Ym810,) (Xm810, Yn810)	(XmB11, YmB11,) (XnB11, YnB11)			NO DISPLAY			(Xme6, Yme6) (Xne6, Yne6)			NO DISPLAY			(X _{mE8} , Y _{mE8}) (X _{nE8} , Y _{nE8})	(Xmg1, Ymg1) (Xng1, Yng1)
			SIZE	200%	100%			1000	8000	100%				NO DISPLAY					NO DISPLAY					100%	100%		
		L KEY IMAGE		Ą	٥	2	ű	Δ	ၓ	S	B	•••	B ₁₀	B.	u.	F ₂	F ₃	F4	F _c	R.	П	Ę	щ	'n,	Ę,	Ę	_l 9
		CONSTITUTIONAL KEY IMAGE		START	СОРУ	FAX	SCAN	CONTROL		 	-	•••	0		1.41	121	1.00	0.80	0.71	1.41 - 0.71 SCROLL	EA.	番	*	B5	A5	A2 - A5 SCROLL	l
: COPY MODE	JPT MODE	MAGE		VARIABLE SIZE KEY	BASICKEY			VEN OPPO	DASIC NET		BASICKEY				APPLICATION KEY						APPLICATION KEY						
	KEY IMAGE	GROUP	START KEY		MODE	SWITCHING KEY	-	SIZE MODIFICATION	Æ		TENKEY					MAGNIFICATION	KĒ.			PAPER SIZE KEY						MESSAGE DISPLAY AREA	

APPLN. FILING DATE: AUGUST 6, 2003
TITLE: DATA INPUT DEVICE, IMAGE PROCESSING DEVICE, DATA INPUT METHOD AND COMPUTER READABLE RECORDING MEDIUM ON WHICH DATA . . .

INVENTOR(S): TSUTOMU YOSHIMI ET AL.

ATTORNEY'S DOCKET NO: 011350-315

SHEET 13 of 13

FIG. 13

